CETIG · 华巽云科技投资控股集团 | 产品规格说明书 / Product Specification



船用保暖工作救生衣 HXY-B1

Marine Thermal Work Life Jacket HXY-B1

型号 SKU	HXY-B1
产品类别	水面救援装备 / Surface Rescue Equipment
文档版本	V1.0 · 2026-10
语言	中文 / English（双语）

1. 产品概述 Product Overview

HXY-B1 船用保暖工作救生衣按照 GB/T32227-2015 标准制造，面向渔船、货船与工程船的日常作业场景。浮力≥74N，面料强度≥784N，缚带抗拉强度≥882N，缝线抗拉强度≥19.6N，各项指标扎实可靠。

The HXY-B1 marine thermal work life jacket is manufactured to GB/T 32227-2015 for daily operations on fishing vessels, cargo ships and workboats. It provides 74N of buoyancy, 784N fabric strength, 882N strap tensile strength and 19.6N seam strength — solid, dependable numbers across the board.

保暖内胆兼顾寒冷海况下的作业舒适性，简约耐用的设计便于批量配发与日常维护，是船队安全装备采购的高性价比之选。

The thermal lining keeps crews comfortable in cold conditions, and the simple, rugged design makes fleet-wide issue and maintenance easy — outstanding value for safety procurement.

2. 核心特点 Key Features

- **国标认证**：执行GB/T32227-2015
  Built to GB/T 32227-2015:
- **可靠浮力**：浮力≥74N
  Reliable buoyancy: ≥74N
- **高强度**：面料≥784N，缚带抗拉≥882N
  High strength: 784N fabric / 882N straps
- **保暖作业**：兼顾寒冷环境保暖与作业安全
  Warm & safe for cold-weather work:
- **经济实用**：适合船队批量配发
  Fleet value: easy batch issue

3. 技术规格 Technical Specifications

执行标准 Standard	**GB/T32227-2015**
面料强度 Fabric Strength	**≥784N**
浮力 Buoyancy	**≥74N**

缚带抗拉强度 Strap Strength	**≥882N**
缝线抗拉强度 Seam Strength	**≥19.6N**
整衣重量 Total Weight	**≤1.5kg**
外形尺寸 Dimensions	**640×440×120mm**

4. 应用场景 Applications

- 江河、湖泊、水库等内陆水域的人员落水救援与物资投送
  Man-overboard rescue and payload delivery in rivers, lakes and reservoirs
- 近海、海岸线、港口与码头的巡逻值守与应急处置
  Patrol, standby and emergency response along coasts, harbours and piers
- 洪涝灾害、城市内涝等水域险情的快速抵近侦察
  Rapid close-range reconnaissance during floods and urban inundation
- 应急管理、海事、消防救援队伍的常态化训练与实战配备
  Routine training and operational deployment for emergency, maritime and fire rescue teams

5. 包装与交付 Packaging & Delivery

包装方式 Packing	**采用瓦楞纸箱（或按需求木箱）包装，内衬防震材料，适配长途海运与空运。** **Packed in corrugated cartons (or wooden cases on request) with shock-absorbing lining, suitable for long-distance sea and air freight.**
交付内容 Delivery Contents	**主机 / 整套装备、标准配件、中文与英文说明书、合格证、保修卡。** **Main unit / complete set, standard accessories, Chinese and English manuals, certificate of conformity and warranty card.**
定制服务 Customisation	**支持 OEM / ODM、标识定制、包装定制与说明书本地化，可按项目需求配置。** **OEM / ODM, logo and packaging customisation and manual localisation are available to project requirements.**
质保与售后 Warranty & Service	**整机质保 12 个月（易损件除外），提供远程技术支持与备件供应。** **12-month warranty for the main unit (consumable parts excluded), with remote technical support and spare-part supply.**
认证文件 Certification	**可按需要提供现有认证及检测报告文件，具体以实际获证情况为准。**

	Existing certificates and test reports can be provided on request; actual certification status prevails.

说明：本说明书所列技术参数为典型值，实际交付产品的规格可能因配置或改进而略有差异，以最终确认的技术协议与交付实物为准。本文件不含价格信息，商务条款请另行咨询。
Note: The parameters in this document are typical values. Specifications of the delivered product may vary slightly with configuration or product improvement; the final technical agreement and the delivered product shall prevail. This document contains no pricing information — please contact us for commercial terms.